

09/785, 292

**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S15 1	154	(715/542).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/31 14:20
S15 2	324	(715/515).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/31 14:18
S15 3	142	(715/529).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/31 14:18
S15 4	999	(715/531).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/31 14:19
S15 5	778	(345/467).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/31 14:19
S15 6	507	(345/471).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/31 14:19
S15 7	179	image with match\$5 with font	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:16
S15 8	126	image with common with font	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:16
S15 9	554	image with (meta attribute) with font	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:16
S16 0	337	image with (meta attribute) with common	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:17

## EAST Search History

S16 1	1087	font with (base\$2 accord\$5 annaly\$5) with (image picture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:17
S16 2	15	picture with match\$5 with font	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:17
S16 3	10	picture with common with font	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:17
S16 4	41	picture with (meta attribute) with font	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:17
S16 5	102	picture with (meta attribute) with common	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:21
S16 6	9	(suggest\$5 advis\$5) with font with (image picture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:26
S16 7	161	(auto\$6) with font with (image picture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 15:31

**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(font and comon and match\$5 and (meta\$6 information) and (picture image)).clm.	US-PGPUB	OR	ON	2007/01/04 07:49
L3	50	(font and match\$5 and (meta\$6 information) and (picture image)).clm.	US-PGPUB	OR	ON	2007/01/04 08:02
L5	60	(font and analyz\$5 and (meta\$6 information) and (picture image)).clm.	US-PGPUB	OR	ON	2007/01/04 08:07
L6	48	5 not 3	US-PGPUB	OR	ON	2007/01/04 08:04
L8	34	(font and key and (meta\$6 information) and (picture image)).clm	US-PGPUB	OR	ON	2007/01/04 08:08
L9	50	(font and feature and (meta\$6 information) and (picture image)).clm.	US-PGPUB	OR	ON	2007/01/04 08:08

09/785, 292

[Sign in](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

image meta suggest font

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about **676,000** for **image meta suggest font**. (0.34 seconds)**Web Guidelines Resources -- Required / Suggested Elements / Style**

Also avoid busy, textured background **images**. These make text difficult to read ... <META name="description" content="Emory University is a major Southern ...  
www.emory.edu/WWW/GUIDE2/style.html - 34k - [Cached](#) - [Similar pages](#)

**Thumbnailed images - Meta**

I can't see how anyone could support such a system but I **suggest** we put it to the ...  
border:1px solid black; margin:1em; font-size:smaller;"> [[image:Hans ...  
meta.wikimedia.org/wiki/Thumbnailed\_images - 85k - [Cached](#) - [Similar pages](#)

**FCKeditor - Meta**

Use the FCKeditor for full WYSIWYG text (eg **font** and background colors), ... Using some  
ajax code the **image** dialog shows a **suggest** list when typing an **image** ...  
meta.wikimedia.org/wiki/FCKeditor - 42k - [Cached](#) - [Similar pages](#)

**[cairo] Meta surface proposal**

We could investigate some mechanism for mapping the **font** in the > **meta** file back to ... I  
also **suggest** we separate the format of the **meta** file data from the ...  
lists.freedesktop.org/archives/cairo/2005-February/002971.html - 9k -  
[Cached](#) - [Similar pages](#)

**Union Web in a box**

You can customise your page titles and **meta** tags to help search engines locate ... The  
bigger the type, the easier it is to read (we **suggest** font size 12); ...  
https://www.unionweb.co.uk/docs/Instructions.htm - 23k - [Cached](#) - [Similar pages](#)

**HTML Demo pages: Tags**

The **meta** tag must be included within the document's header and is used to supply  
additional ... The browser will go through the **suggested fonts** in order. ...  
www.slis.indiana.edu/faculty/hrosenba/www/Demo/Demo.html - 36k -  
[Cached](#) - [Similar pages](#)

**Performance, Implementation, and Design Notes**

The **META** element allows HTML authors to tell visiting robots whether a ... be able to  
change sizes dynamically to match the current window size and **fonts**. ...  
www.w3.org/TR/html4/appendix/notes.html - 57k - [Cached](#) - [Similar pages](#)

**Submit Corner - Guides - Bandwidth Conservation Guide - Embedding ...**

**META** Tag Scanner ... For this reason, we **suggest** using True Type **Fonts** that have  
become ... Using **fonts** not only eliminates the need for using an **image**, ...  
www.submitcorner.com/Guide/Bandwidth/003.shtml - 26k - Jan 6, 2007 -  
[Cached](#) - [Similar pages](#)

**[Bug-gs] rotating a postscript image**

Can you **suggest** a way how I can rotate the postscript **image** or for that matter ...  
charset=3Diso-8859-1"> <META NAME=3D"Generator" CONTENT=3D"MS Exchange ...  
www.ghostscript.com/pipermail/bug-gs/2001-August/000653.html - 5k -  
[Cached](#) - [Similar pages](#)

**Digital Web Magazine - Organizing Images with a Database**

The more **meta**-data that you have about each **image**, the more distinct and ... I **suggest**  
the book by Welling and Thomson "PHP and MySQL Web Development". ...  
www.digital-web.com/articles/organizing\_images\_with\_a\_database/comments/ - 26k -  
[Cached](#) - [Similar pages](#)

Google [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

---

**Web**Results 1 - 10 of about **643,000** for **image attribute suggest font**. (0.25 seconds)**Cascading Style Sheets, level 1**

I.e., in CSS1, **font** family names and URLs can be case-sensitive. Also, the case-sensitivity of the **CLASS** and **ID attributes** is under the control of HTML [2]. ...

[www.w3.org/TR/REC-CSS1](#) - 185k - [Cached](#) - [Similar pages](#)

**Web Content Accessibility Guidelines 1.0**

The guidelines do not **suggest** avoiding **images** as a way to improve accessibility ... For **image** maps, either use the "alt" **attribute** with AREA, or use the MAP ...

[www.w3.org/TR/WAI-WEBCONTENT/](#) - 125k - [Cached](#) - [Similar pages](#)

**Accessibility Tips**

The ALT **attribute** is best used to provide the function of the **image** rather ... Style sheets allow authors to **suggest** relative changes in **font** size with much ...

[www.htmlhelp.com/design/accessibility/tips.html](#) - 19k - [Cached](#) - [Similar pages](#)

**ALT texts in IMG**

This is **suggested** as an alt text, rather than as a caption, because those readers who ... An **image** of some "self-explanatory" text, with no ALT **attribute**. ...

[www.htmlhelp.com/feature/art3.htm](#) - 47k - [Cached](#) - [Similar pages](#)

**Affecting the appearance of ALT texts and tooltips**

An ALT **attribute** itself has no color; the visual presentations of the ... When ALT text is used in place of an **image**, IE displays it in small **font** and along ...

[www.cs.tut.fi/~jkorpele/html/altshow.html](#) - 12k - [Cached](#) - [Similar pages](#)

**A custom image for a reset button?**

We could use a normal, reasonable value **attribute** (say value="Clear" ) in an input type="reset" element, and **suggest**, in a stylesheet, an **image** which is ...

[www.cs.tut.fi/~jkorpele/forms/imagereset.html](#) - 39k - [Cached](#) - [Similar pages](#)

[ [More results from www.cs.tut.fi](#) ]

**Hints for Web Authors**

Authors who want their documents to be accessible to all would do well to avoid the <FONT> element: if you use Style Sheets to **suggest fonts** and other ...

[www.mcsr.olemiss.edu/~mudws/webhints.html](#) - 32k - [Cached](#) - [Similar pages](#)

**HotSource HTML Help - Stylish Cascading Style Sheets FAQ**

How do I **suggest** that my background **image** is fixed? Many web authors are misled to believe that a background can be "fixed" with an HTML **attribute**. ...

[www.sbrady.com/hotsource/faqs/stylish-css-faq.html](#) - 16k - [Cached](#) - [Similar pages](#)

**Accessify Forum: Can I use text in images**

Seems to **suggest** you can have **images** as long as you use alt **attributes**. ... I really need to use text in **images** because I need to use a **font** which most ...

[www.accessifyforum.com/viewtopic.php?t=7091](#) - 46k - [Cached](#) - [Similar pages](#)

**Accessify Forum: Can I use text in images**

Seems to **suggest** you can have **images** as long as you use alt **attributes**. ... whatever alternatives have been **suggested** in the **font-family** entry in the CSS. ...

[www.accessifyforum.com/viewtopic.php?p=48150](#) - 46k - [Cached](#) - [Similar pages](#)

[ [More results from www.accessifyforum.com](#) ]

Google [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

---

**Web**Results 1 - 10 of about 831,000 for **image match suggest font**. (0.42 seconds)[Cascading Style Sheets, level 1](#)

HTML authors need to write style sheets only if they want to **suggest** a specific style ... If there is no **matching font** face within the 'font-family' being ...  
[www.w3.org/TR/REC-CSS1](http://www.w3.org/TR/REC-CSS1) - 185k - [Cached](#) - [Similar pages](#)

[Digital Ad Resource Center](#)

Send native format files, all **images** and graphics placed in the file and both the printer and screen **fonts** used. Delete any unused colors in the colors ...  
[www.primediabusinessads.com/prep\\_tips/index.htm](http://www.primediabusinessads.com/prep_tips/index.htm) - 29k - [Cached](#) - [Similar pages](#)

[Affecting the appearance of ALT texts and tooltips](#)

When ALT text is used in place of an **image**, IE displays it in small **font** and along ... you need to consider how to **suggest** a **matching** text color as well, ...  
[www.cs.tut.fi/~jkorpela/html/altshow.html](http://www.cs.tut.fi/~jkorpela/html/altshow.html) - 12k - [Cached](#) - [Similar pages](#)

[Baboons, smarter than you thought.](#)

Even so, researchers said, the results **suggest** baboons are capable of analogical judgment – the kind of ... It wasn't important to **match** the actual **images**. ...  
[lists.ibiblio.org/pipermail/monkeywire/2001-October/000138.html](http://lists.ibiblio.org/pipermail/monkeywire/2001-October/000138.html) - 14k - [Cached](#) - [Similar pages](#)

[Core77 Boards :: Index :: View topic - How to find out which fonts ...](#)

Allows you to update an **image**, logo, etc... and uses a **matching** algorithm to **suggest fonts** that are close in shape to what you have submitted. ...  
[boards.core77.com/viewtopic.php?p=65984&sid=b0b2bf5c57a21ce234fbff49d893158e](http://boards.core77.com/viewtopic.php?p=65984&sid=b0b2bf5c57a21ce234fbff49d893158e) - 30k - Jan 6, 2007 - [Cached](#) - [Similar pages](#)

[The Media Group](#)

For optimal **image** quality for most printing purposes, bitmap **images** should have a ... If you require a closer **match** for colours we **suggest** you use ...  
[www.mediagroup.ubc.ca/print\\_tips.htm](http://www.mediagroup.ubc.ca/print_tips.htm) - 35k - [Cached](#) - [Similar pages](#)

[creativepro.com - CorelDraw Graphics Suite 12: Smart Doodling ...](#)

A really smart **font matching** program would inspect our system **fonts** and say "Gee, look, AG Garamond is installed. That sounds close, so let's **suggest** that ...  
[www.creativepro.com/story/review/20708.html](http://www.creativepro.com/story/review/20708.html) - 37k - [Cached](#) - [Similar pages](#)

[The Vegetarian Society UK - The Directory - border, colour and ...](#)

More colours are available than the examples below, if you **suggest** something, we'll do our best to **match** it for you. Alternatively, we can try and **match** the ...  
[www.vegso.org/directory/borders.html](http://www.vegso.org/directory/borders.html) - 12k - [Cached](#) - [Similar pages](#)

[Google Help : Search Features](#)

Second, Google keeps track of some visual presentation details such as **font** ... phone numbers, product numbers), type or format (text, HTML, PDF, **images**, ...  
[www.google.com/help/features.html](http://www.google.com/help/features.html) - 68k - [Cached](#) - [Similar pages](#)

[Adobe Digital Kids Club: Lessons: Funny ads](#)

Search the internet for an **image** of your favorite food, toy, sports team, Logo etc. Try to **match** the **font** with a **font** on your computer and change the name ...  
[www.adobe.com/education/digkids/lessons/funny\\_ad.html](http://www.adobe.com/education/digkids/lessons/funny_ad.html) - 47k - [Cached](#) - [Similar pages](#)

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)  
[Preferences](#)

---

**Web**Results 1 - 10 of about 1,240,000 for **image match key font**. (0.30 seconds)**PHPXRef 0.6 : TikiWiki Release 1.9 : Full Variable Index**

... \$Id Definitions: 3 References: 25; \$Key Definitions: 1 References: 2 ... \$folding

Definitions: 1 References: 4; \$font Definitions: 5 References: 75 ...

de.tikiwiki.org/xref-BRANCH-1-9/\_variables/index.html - 1009k - [Cached](#) - [Similar pages](#)**Title Index**

... Data Compression using Adaptive Coding and Partial String Matching ... Key Agreement

Method · DIG35 Specification — Metadata for Digital Images (Version ...

dret.net/biblio/titles - 968k - [Cached](#) - [Similar pages](#)**PHPXRef 0.6 : Stud.IP : Full Variable Index**

... \$folders\_cond Definitions: 2 References: 3; \$font Definitions: 9 ... \$mask Definitions: 22

References: 63; \$match Definitions: 2 References: 83 ...

develop.studip.de/studip-xref/\_variables/index.html - 920k - [Cached](#) - [Similar pages](#)**PHPXRef 0.6 : osCommerce : Full Variable Index**

... \$follow\_cpath Definitions: 3 References: 30; \$font Definitions: 1 ... \$k\_opad Definitions: 2

References: 4; \$key Definitions: 322 References: 1447 ...

oscommerce-reference.swisscart.com/\_variables/index.html - 336k -

[Cached](#) - [Similar pages](#)**Customizing Mozilla**

User CSS (including changing UI fonts); Making fonts more readable on Linux; Key

Bindings; Other Useful Preferences; UI Widget Look and Feel ...

www.mozilla.org/unix/customizing.html - 49k - [Cached](#) - [Similar pages](#)**Improvements Catalog: DIY House and Home Improvement Solutions**Description: Products **matching key phrase Font**. Greenheart Outdoor Wood Furniture,

Acrylic-Wrapped Snowmen, Park Bench, Vinyl Garden Arbor, Outdoor Lamps, ...

www.improvementscatalog.com/home/diy/indexb4.html - 56k - [Cached](#) - [Similar pages](#)**PHPXRef 0.6 : Joomla! 1.0.12 eCommerce Edition : Full Variable Index**

... \$folders2 Definitions: 1 References: 3; \$font Definitions: 3 References: 37 ... Definitions:

5 References: 20; \$image Definitions: 74 References: 272 ...

virtuemart.net/documentation/phpxref/\_variables/index.html - 884k - [Cached](#) - [Similar pages](#)**Magick::Image Class**The method returns 'true' if a **matching key** exists, and 'false' if no **matching** ... If the font

is a fully qualified X server font name, the font is obtained ...

www.imagemagick.org/Magick++/Image.html - 125k - [Cached](#) - [Similar pages](#)**Mix and Match Fonts on a Label Control in VB 2005**But the **key** thing is that you can only have one font, one font size, ... You can still add an**image** to the label using the Properties Window and place it ...blogs.vbcity.com/xtab/archive/2006/11/11/6853.aspx - 18k - [Cached](#) - [Similar pages](#)**An Antiphishing Strategy Based on Visual Similarit**Table 3 shows the **matching** result for some **key** blocks on the true ... Pure **image**-level

similarity assessment methods4 (that is, converting Web pages into ...

dsonline.computer.org/.../2006/04&file=w2liu.xml - 47k - [Cached](#) - [Similar pages](#)

Google [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

font image topic

Search

[Advanced Search](#)  
[Preferences](#)
**Web**Results 1 - 10 of about **5,380,000** for **font image topic**. (0.26 seconds)**ImageMagick Studio :: View topic - layered TIFF images broken on OS X**

TIFF\* TIFF rw+ Tagged Image File Format (LIBTIFF, Version 3.8.2) TILE\* TILE r- Tile

image with a texture TIM\* TIM r- PSX TIM TTC\* TTF r- TrueType font ...

www.imagemagick.org/discourse-server/viewtopic.php?t=7237 - 64k -

[Cached](#) - [Similar pages](#)**High-Logic :: View topic - Photo Image as Font**

The application comes with pre-defined font images of a few vehicles but not ... You cannot post new topics in this forum You cannot reply to topics in this ...

forum.high-logic.com/viewtopic.php?p=5804&amp;sid=0d1af8cb854fad07546ca645667222f2 -

28k - [Cached](#) - [Similar pages](#)**High-Logic :: View topic - command line image -> font character**

It would be very useful to be able to put an image in a font character ... You cannot post new topics in this forum You cannot reply to topics in this forum ...

forum.high-logic.com/viewtopic.php?t=723&amp;sid=67fed0b2ed3256f37e356217194c4543 -

28k - [Cached](#) - [Similar pages](#)**forum.nvudev.org :: View topic - Trouble with images / text fonts**

Make sure you have uploaded the image file also to the correct directory and the path used in the link is correct. If a font is not installed on a ...

forum.nvudev.org/viewtopic.php?p=20740&amp;sid=ae4c5733c5996ae25f50dbd25ea12e9c -

31k - [Cached](#) - [Similar pages](#)**Smarty :: View topic - Render/Generate Title Images with a font**

We have needed to be able to render fonts over a background image. ... You cannot post new topics in this forum You cannot reply to topics in this forum ...

phpinsider.com/smarty-forum/viewtopic.php?

p=29407&sid=8aa8a3ce9f7d256fb078e36ee34554af - 40k - [Cached](#) - [Similar pages](#)**Official forums for BZFlag.org :: View topic - Compiling the thing**

until it gave me a 'bzflag error': 'no fonts found. exiting'. ... You cannot post new topics in this forum You cannot reply to topics in this forum ...

my.bzflag.org/bb/viewtopic.php?p=23860 - 146k - [Cached](#) - [Similar pages](#)**| PLEASE READ: Typophile Forum Posting Guidelines | Typophile**

Are you wondering about legal or marketing aspects of fonts? ... main forum pages and clicking on the "Post a new topic" link. Image technical requirements: ...

typophile.com/readme - 14k - [Cached](#) - [Similar pages](#)**TextFormattingFAQ < TWiki < TWiki**

Result: Proportional text, fixed font , proportional again. ... To place an image on any topic, there are two ways of including inline images. ...

tig.csail.mit.edu/twiki/bin/view/TWiki/TextFormattingFAQ - 30k - [Cached](#) - [Similar pages](#)**Image: The DejaVu font | CNET News.com**

Related Topics and Companies: ... The DejaVu font. July 11, 2006 6:22 AM PDT ... DejaVu is a font developed in open-source fashion, based on a Bitstream ...

news.com.com/2300-7345\_3-6092561-1.html - 30k - [Cached](#) - [Similar pages](#)**Serendipity [s9y] Forums :: View topic - entry title as image in ...**

You will find the tested php snippet (generating images out of text in special fonts on the fly) and an pdf from RobA's Website here: ...

board.s9y.org/viewtopic.php?t=7302&amp;sid=1b9200ca8438c0692cb0248ea6a602d5 - 71k -



[Google](#) [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

font based image

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 1 - 10 of about 12,300,000 for **font based image** . (0.25 seconds)

### Annotating images with CSS

I keep hearing about flickr and its **image** annotation features. ... border: 1px solid black; **font-family**: sans-serif; **font-size**: x-small; color: #000; ...  
evan.nixsys.bz/note/ - 18k - [Cached](#) - [Similar pages](#)

### How do you do this? CSS based image/font

How do you do this? **CSS based image/font** (from CSS)  
forums.digitalpoint.com/showthread.php?t=46138 - 74k - [Cached](#) - [Similar pages](#)

### Image Based Fonts - Ogre Wiki

**Image Based Fonts**. From Ogre Wiki. To be moved from ogrenew/Tutorials. Retrieved from "http://www.ogre3d.org/wiki/index.php/Image\_Based\_Fonts". Views ...  
www.ogre3d.org/wiki/index.php/Image\_Based\_Fonts - 9k - [Cached](#) - [Similar pages](#)

### [PDF] A small-size chinese font display by perception-based method ...

File Format: PDF/Adobe Acrobat

**Image Processing ( U P )**. A Small-Size Chinese Font Display by Perceptinn-Based Method. Thou-Ho (Chao-Ho). Chen,. Yung-Chuen. Chiou,. and \*Chao-Tan Huang ...  
ieeexplore.ieee.org/iel5/9716/30679/01421586.pdf - [Similar pages](#)

### Art Nouveau Fonts from the Scriptorium

Each of the patterns in our Morris collection is a high-resolution **image** and suitable ...  
Morris Initials is the first **font**, based on initials done for the ...  
www.fontcraft.com/artype/morris/ - 49k - [Cached](#) - [Similar pages](#)

### chi-fonts

Gilligan's Island is a **font based** on the show of the same name (duh). Best at larger point sizes, author Mark Riddle states, "It was created from scratch by ...  
members.aol.com/chichix/pages/fonts.html - 19k - [Cached](#) - [Similar pages](#)

### Geek to Live: Make your own font - Lifehacker

Nevermind; they will search me out **based** on my horrific spelling. ... you could, however, "image-ify" your **font**...type in what you want, print it as a jpeg ...  
www.lifehacker.com/software/diy/geek-to-live-make-your-own-font-206685.php - 65k - [Cached](#) - [Similar pages](#)

### Pia Frauss -- Fonts: JaneAusten

However, creating something like an average **image** has been the aim of my **font**, and naturally, this has endowed it with the principal flaw of all typefaces: ...  
www.pia-frauss.de/fonts/ja.htm - 12k - [Cached](#) - [Similar pages](#)

### Computer font - Wikipedia, the free encyclopedia

Outline or stroke **image** formats such as Windows Metafile format (.wmf) and ... [edit]  
**Stroke-based font**. A glyph's outline is defined by the vertices of ...  
en.wikipedia.org/wiki/Computer\_font - 28k - [Cached](#) - [Similar pages](#)

### Template:Infobox font - Wikipedia, the free encyclopedia

... aka: Alternate (or imitation) names for other **fonts based** on this typeface. ... {{Infobox font | name = Bookman | **image** = [[Image:Bookman ...  
en.wikipedia.org/wiki/Template:Infobox\_font - 30k - [Cached](#) - [Similar pages](#)

## Recent Searches

[Close window](#) | [Help](#)

Add terms to your search using:

AND

## 6. font metadata image

Database: Multiple databases...

Look for terms in: Citation and abstract

Publication type: All publication types

1 result

[Add to Search](#)[Set Up Alert](#)

## 5. font meta image

Database: Multiple databases...

Look for terms in: Citation and abstract

Publication type: All publication types

1 result

[Add to Search](#)[Set Up Alert](#)

## 4. font based meta image

Database: Multiple databases...

Look for terms in: Citation and abstract

Publication type: All publication types

0 result

[Add to Search](#)[Set Up Alert](#)

## 3. font based key image

Database: Multiple databases...

Look for terms in: Citation and abstract

Publication type: All publication types

13 results

[Add to Search](#)[Set Up Alert](#)

## 2. font based image topic

Database: Multiple databases...

Look for terms in: Citation and abstract

Publication type: All publication types

1 result

[Add to Search](#)[Set Up Alert](#)

## 1. font based image

Database: Multiple databases...

Look for terms in: Citation and abstract

Publication type: All publication types

289 results

[Add to Search](#)[Set Up Alert](#)[Close window](#) | [Help](#)